

## JOURNAL

### MAJOR TRANSIT AND TRANSPORTATION CONSTRUCTION TRAFFIC MANAGEMENT COMMITTEE

**Thursday, February 22, 2018, 9:00 AM**

1149 S. Broadway, 1<sup>st</sup> Floor Conference Room No. 150, Los Angeles, CA 90015

Committee Members: Jan Chen (BOE), Chair  
+Dominick Esposito, (BOE), Co-Chair  
Diana Crowder (BOE)  
Marina Chang (LADOT)  
Victor Yang (LADOT)  
Debra Scott (BSS)  
Karen Bowie (BSS)  
John Nelson (ConAD)  
Marco Arroyo (LADOT)  
Vatche Kouyoumjian (LADOT)  
Mariann Karish (BOE)

+Absent

It is the responsibility of the Major Transportation Construction Traffic Management Committee to review applications for permits to work within the streets and determine work site traffic control conditions within the Transit Project Impact Area (LAMC 62.250).

To be placed on the agenda, a brief description of the project must be emailed to [ENG.TCTMC@lacity.org](mailto:ENG.TCTMC@lacity.org) by 12 PM on Thursday in order to present the following Thursday. Additionally, it is the policy of the Committee to allow public comment on individual agenda items subject to such time limits as the Committee Chairman may deem appropriate.

Appeals Committee - The General Manager of the Department of Transportation, the City Engineer, the Director of the Bureau of Street Services, and the Director of the Bureau of Contract Administration, or their designees. The City Engineer shall be the Chairperson of the Appeals Committee. The Appeals Committee considers appeals regarding Worksite Traffic Control Conditions and night work. The President of the Board of Public Works decides those appeals heard by the Appeals Committee that end in a tie vote. If you would like to appeal the committee's determination, please email [ENG.TCTMC@lacity.org](mailto:ENG.TCTMC@lacity.org) with your request.

It is requested that individuals who require the services of a translator contact [ENG.TCTMC@lacity.org](mailto:ENG.TCTMC@lacity.org) no later than the day preceding the meeting. Whenever possible, a translator will be provided.

Sign language interpreters, assistive listening devices, or other auxiliary aids and/or services may be provided upon request. To ensure availability, you are advised to make your request at least 72 hours prior to the meeting you wish to attend.

SI REQUIERE SERVICIOS DE TRADUCCION, FAVOR DE NOTIFICAR LA OFICINA CON 24 HORAS POR ANTICIPADO.

---

PUBLIC COMMENT: The Committee will hear public testimony on agenda items under the Committee's jurisdiction.

MINUTES: Review and adopt February 15, 2018 meeting minutes.

AGENDA ITEMS:

- 1) Erek Schleif (CTC/Hill Crane Service)  
6067 Wilshire Blvd & Fairfax Ave – **PLE:** 500-ton crane for setting a generator on rooftop.  
Working on Fairfax only, Saturday.
  - BSS#: 2018001414DISPOSITION: **180103-PLE – Under Review**
  
- 2) Emanuel Pelayo (Video Voice Data)  
6527 Wilshire Blvd – **PLE:** Tie into existing maintenance hole to place cable and splice to customer location.
  - U-P#: 2018000757DISPOSITION: **Item Returned**
  
- 3) Emanuel Pelayo (Video Voice Data)  
6380 Wilshire Blvd – **PLE:** Tie into existing maintenance hole to place cable and splice to customer location.
  - BSS#: 2018000347DISPOSITION: **Moved to next week**
  
- 4) Emanuel Pelayo (Video Voice Data)  
5533 W 6<sup>th</sup> St – **PLE:** Tie into existing maintenance hole to place cable and splice to customer location.
  - U-P#: 2018000064DISPOSITION: **Moved to next week**
  
- 5) Emanuel Pelayo (Video Voice Data)  
6015 W 3rd St – **PLE:** Tie into existing maintenance hole to place cable and splice to customer location.
  - BSS#: 2018000355DISPOSITION: **Not in the street of significance**
  
- 6) Emanuel Pelayo (Video Voice Data)  
6053 W 3rd St – **PLE:** Tie into existing maintenance hole to place cable and splice to customer location.
  - BSS#: 2018000353DISPOSITION: **Moved to next week**
  
- 7) Emanuel Pelayo (Video Voice Data)  
6344 W 3rd St – **PLE:** Tie into existing maintenance hole to place cable and splice to customer location.
  - BSS#: 2018000351DISPOSITION: **Item Returned**

- 8) Emanuel Pelayo (Video Voice Data)  
641 S Detroit St – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• U-P#: 2018000325  
DISPOSITION: **Moved to next week**
- 9) Emanuel Pelayo (Video Voice Data)  
435 S Detroit St – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• U-P#: 2018000323  
DISPOSITION: **Moved to next week**
- 10) Emanuel Pelayo (Video Voice Data)  
648 S Dunsmuir Ave – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• U-P#: 2018000320  
DISPOSITION: **Moved to next week**
- 11) Emanuel Pelayo (Video Voice Data)  
1005 S Fairfax Ave – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• BSS#: 2018000339  
DISPOSITION: **Moved to next week**
- 12) Emanuel Pelayo (Video Voice Data)  
836 S Fairfax Ave – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• U-P#: 2018000342  
DISPOSITION: **Moved to next week**
- 13) Emanuel Pelayo (Video Voice Data)  
310 Hauser Blvd – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• BSS#: 2018000354  
DISPOSITION: **Moved to next week**
- 14) Emanuel Pelayo (Video Voice Data)  
601 Hauser Blvd – **PLE:** Tie into existing maintenance hole to place cable and spice to customer location.  
• BSS#: 2018000316  
DISPOSITION: **Moved to next week**
- 15) Christen Morris (CHC Consulting/Crown Castle NG West)  
7000 W 3<sup>rd</sup> St – **PLE:** Place 4' 1-2" HDPE existing poll# 352340 to hand hole concrete trench. Place 2'x3' HH w/traffic rated LID in concrete 3. Place 59' 3-1 1/4" HDPE AT&T maintenance hole to hand hole concrete trench Previously approved by LABOE Ref. No. 2017004710. Issued for permit renewal.  
• U-P#: 2017013109  
DISPOSITION: **180104-PLE – Under Review, pending U-Permit**

- 16) Christen Morris (CHC Consulting/Crown Castle NG West)  
6301 W 3<sup>rd</sup> St – **PLE** Place 9' 1-2" HDPE existing street light to CC vault concrete trench 2. Place 17" x 30" CC vault in concrete sidewalk 3. Place 4' 1-2" HDPE Place 4' 1-1 1/4" HDPE existing HH# 1 to CC vault concrete trench 4. Place 2' x 3' HH# 2 in concrete sidewalk 5. Place 225' 3-1 1/4" HDPE existing HH to ATT MH 8224 asphalt/concrete trench Previously approved LABOE ref. no. 2016011605. Resubmitted for permit renewal.
- U-P#: 2017013118
- DISPOSITION: **Moved to next week**
- 17) John Johnston (AT&T)  
3<sup>rd</sup> St & Sweetzer Ave – **PLE**: Excavate and place new splice box and conduit from existing maintenance hole to new splice box location.
- U-P#: 2018001852
- DISPOSITION: **180106-PLE – TLR Issued**
- 18) John Johnston (AT&T)  
6<sup>th</sup> St & Hill St – **RC**: Excavate and place new splice box and conduit from existing maintenance hole to new splice box location.
- U-P#: 2018001270
- DISPOSITION: **Moved to next week**
- 19) John Johnston (AT&T)  
5<sup>th</sup> St & Hill St – **RC**: Excavate and place new splice box and conduit from existing maintenance hole to new splice box location.
- U-P#: 2018001868
- DISPOSITION: **180107-RC – Under Review**
- 20) Casey McCormick (McCormick Compliance Consulting, Inc)  
100 S Grand Ave – **RC**: Shoring and Excavation for 2 tower new construction development.
- U-P#:
- DISPOSITION: **Information Only**
- 21) Cinthia Chairez (Xyvest)  
700 Wilshire Blvd – **RC**: Boom lift parked on Hope St and Wilshire Blvd parking lane surrounding the building for sealing the windows.
- BSS#: 2018001530
- DISPOSITION: **180105-RC – TLR Issued**
- 22) Harrison Cauble (Henkels & McCoy/Crown Castle)  
Santa Fe Ave/3<sup>rd</sup> St – **RC**: Install pull box, conduit on the street and sidewalk.
- UP#: 2017012958
- DISPOSITION: **Moved to next week**
- 23) Harrison Cauble (Henkels & McCoy/Crown Castle)  
201 S Sante Fe Ave – **RC**: Installing fiber line in communications level of a strand of poles.
- BSS#: 2018001190
- DISPOSITION: **180108-RC – TLR Issued, combined w/24**

- 24) Harrison Cauble (Henkels & McCoy/Crown Castle)  
833 E 3<sup>rd</sup> St – **RC**: Installing fiber line in communications level of a strand of poles.  
• BSS#: 2018001190  
DISPOSITION: **180108-RC – TLR Issued, combined w/23**
- 25) Enrique Rueda (SoCalGas)  
629 Traction Ave – **RC**: Installing wires and anodes underground per cathodic protection compliance.  
• U-P#: 2017012784  
DISPOSITION: **No Show**
- 26) Enrique Rueda (SoCalGas)  
701 E 2<sup>nd</sup> St – **RC**: Installing wires and anodes underground per cathodic protection compliance.  
• U-P#: 2017012791  
DISPOSITION: **No Show**
- 27) Luke Snyder (Synergy Engineering Service/AT&T Mobility)  
611 S Mateo St – **SSB**: Install small cell antenna and ancillary equipment on an existing wood utility pole.  
• BSS#: 2017008915  
DISPOSITION: **180109-SSB – TLR Issued**
- 28) Luke Snyder (Synergy Engineering Service/AT&T Mobility)  
650 S Santa Fe Ave – **SSB**: Install small cell antenna and ancillary equipment on an existing wood utility pole.  
• BSS#: 2017008906  
DISPOSITION: **180110-SSB – TLR Issued**
- 29) Angel Flores (SoCalGas)  
Santa Fe Ave & Jesse St – **SSB**: Abandon gas service.  
• U-P#: 2018000670  
DISPOSITION: **180111-SSB – TLR Issued**
- 30) Paul Camarena/Brandon Brown (Ridgeline Telecom)  
Rodeo Rd & 9<sup>th</sup> St – **CTC**: Place and splice new overhead aerial cable.  
• BSS#: 2018000943  
DISPOSITION: **Moved to next week**
- 31) Brendan Deberry/Tim Coumans (Mark Company/Alcoa)  
5875 Interceptor St & Airport Blvd – **CTC**: LADWP electrical conduit installation.  
• U-P#: 2017005580  
DISPOSITION: **Moved to next week**
- 32) Omar Diaz (SoCalGas)  
5060 Rodeo Rd – **CTC**: Gas service replacement.  
• U-P#: 2018000193  
DISPOSITION: **180112-CTC – Not in TCTMC area of significance**

33) Anthony Soriano (TMI/American Community Home Builders)  
3411 Crenshaw Blvd – **CTC**: Construct new driveway. Close unused driveway; install curb drains; install tree well and install bike racks.  
• A-P#: A2017002902 C (Ref#: 64814)  
DISPOSITION: **Moved to next week**

34) John Johnston (AT&T)  
Hoover St & 56<sup>th</sup> St – **SCSR**: Excavate and place conduit from existing cabinet to existing pole. Place ground bed from existing cabinet.  
• U-P#: 2017013693  
DISPOSITION: **180113-SCSR – TLR Issued**

35) Robert Zavala (SoCalGas)  
Hoover St & 56<sup>th</sup> St – **SCSR**: Gas service replacements.  
• U-P#: 2018000696  
DISPOSITION: **Moved to next week**

36) Old business items, Haul Route submittals and miscellaneous discussion items.

TLR's were approved and issued for the following old business items:

**170524-CTC**  
**180065-PLE**  
**180073-CTC**  
**180091-PLE2**  
**180095-CTC**  
**180097-PLE**