WILLIAM R. BAMATTRE

February 28, 2006



TO:

The Honorable Board of Fire Commissioners

City of Los Angeles

FROM:

William R Bamattre, Fire Chief

SUBJECT:

POWERPOINT PRESENTATION OF BRUSH CLEARANCE UNIT

DISCUSSION

In 1981, the Brush Clearance Unit was established as part of the Bureau of Fire Prevention and Public Safety. The Brush Clearance Unit is responsible for the enforcement of the Fire Codes by conducting inspections of properties located in the Very High Fire Hazard Severity Zone.

The enclosed PowerPoint presentation is an overview of the Brush Clearance Program. It provides a description of the defined Very High Fire Hazard Severity Zone, the Mass Mailer Informational Brochure, and the brush inspection process.

The Brush Clearance Unit is proud of its commitment of service in the hillside communities and of the low incidents of brush fires that result in damage to residential property due to the implementation of the Brush Clearance Program.

Respectfully submitted,

WILLIAM R. BAMATTRE


Fire Chief

Attachment




Valley Fire Prevention Office Marvin Braude Constituent Building Van Nuys

- 1 Captain II
- 1 Captain I
- 1 Inspector II
- 13 Inspector I
- · 3 Civilian Staff



un u	
NAMES OF THE PARTY	
4.	



Very High Fire Hazard Severity Zone

- · VHFHSZ or "Zone"
- Approximately 158 square miles
- Approximately 130,000 properties
- 13 Inspectors in the Brush Clearance Unit are responsible for this area

Major Brush Fire History


- 1963 Bel Air Fire: 484 homes lost Mountain Fire District
 established
- 1971 Chatsworth Fire: 198 homes lost Fire Buffer Zone established, increasing area of Mountain Fire District
- 1985 Baldwin Hills Fire: 53 homes and 3 lives lost Mt.
 Washington, El Sereno, and Baldwin Hills added to the Mountain
 Fire District
- 1993 Oakland Hills Fire: 3403 homes lost Bates Bill enacted (AB-337). Required the establishment of a Very High Fire Hazard Severity Zone (VHFHSZ lies mostly within the boundries of the Mountain Fire District)
- 1997 Section 57:21:07 of LAMC amended established 200's clearance around any structure in the Zone

Public Property


- All City, County, State, and Federal property in the Zone are inspected in the first three months of the year
- Property owned by the City of Los Angeles is cleared by contractors hired by the Brush Clearance Unit
- Contractors submit "scaled" bids lowest bid is awarded

Mass Mailer

- · Mailed in mid-March
- Every property owner in Zone receives mailer
- · Informational purposes only



,	
· · · · · · · · · · · · · · · · · · ·	



- Brush clearance requirements are illustrated and explained
- Brush Unit's telephone #, website, etc.

Brush Task Force

- 40 Firefighters
- Detailed from Fire Stations to assist Brush Clearance Unit Inspectors with initial inspections
- All BTF members attend an extensive training course prior to May 1

May 1st

- Inspections commence
- Brush Task Force utilized for approximately one month
- First inspections take approximately entire month to complete

Second Inspection

- Properties that failed the first inspection are re-inspected in approximately two weeks
- For those properties that fail the second inspection, Inspector creates a very detailed list of the hazards and takes a series of photographs

Second Notice of Non-Compliance

- Approximately 3 weeks alotted to abate the hazard
- Owner has opportunity to attend "City Attorney Hearing" in BCU Office with Inspector
- Owner permitted to state any grievance with violation
- Inspector prepared to supply pictures of the hazards

epotentia.		

Third Inspection

- Properties that failed their second inspection are re-inspected
- If fails again, the property is posted and additional photographs are taken
- · Work Order generated
- · Contractors are allowed to bid on property

Third Inspection - cont'd

- · Contractor with the lowest bid is awarded
- Inspector follows up with contractor, ensuring parcel is cleared in the manner described in Work Order
- Once completed by contractor, property is re-inspected and photos are taken

Throughout this process Brush Clearance Unit Inspectors are using skills in topography, horticulture, and cartography. To ensure all hazards are abated, laser range finders, walking wheels, and digital cameras are also utilized.

-			
-	 		
_			
-	 		
-			
-	 		
•			 1.40
			 ·
	 	ia ·	
•			
,			

Vegetation Management System (VMS)

- Computer program and data base created specifically for the Brush Clearance Unit
- All violations and inspection information are entered into this data base by Brush Clearance Unit Inspectors
- Other information in VMS includes: invoice tracking, billing information, ownership, complaints, inspections status, comments, and violations history

- Management of the Control of the C